

Advanced Renal Cell Carcinoma

Patient Guide and Diary

Cabozantinib

Includes treatment diary



Cabozantinib

Introduction

- This info booklet deals with advanced renal cell carcinoma (RCC)
- It includes information on a tyrosine kinase inhibitor (TKI) therapy
- · You and your healthcare team have decided this is the best treatment option for you at this time
- This booklet is to **provide you with information** on the side effects to watch for, **to help you to monitor and track** your symptoms between clinic visits and **to help you inform** your cancer care team about important information

The sections of the booklet are:

- Treatment
- Monitoring
- Communication
- Your cancer care team will **also** provide you with separate detailed information sheets on your specific treatment
- There are other treatments for RCC that are not included in this booklet

RCC, renal cell carcinoma; TKI, tyrosine kinase inhibitor



Cabozantinib

Treatment

TKI Therapy

What is TKI therapy?

- Cancer cells rely on various growth signals to survive and spread. Cancer cells use multiple pathways, or "communication channels," to grow and divide rapidly.
- Medications that block cellular growth pathways can help stop cancer cells from growing and spreading.

Why this treatment?

- You and your doctor have reviewed the various treatment options for your type of cancer
- TKI therapy (as a pill) is part of your treatment
- TKI therapy has been shown in studies to reduce tumour size, reduce cancer symptoms, and extend life
 in some patients with advanced renal cell carcinoma
- Examples of TKI medications include lenvatinib and cabozantinib

What side effects can I expect from TKI therapy?

- TKI therapy is given to help to limit the growth of cancer cells. It will also affect some of the healthy cells in the body. This may result in side effects.
- It is important that you tell your cancer care team about any side effects that you experience during your treatment. Your cancer care team has many ways to manage these side effects.
- You can help your doctor to help you by keeping track of the side effects you experience in the diary section in this booklet.




Cabozantinib

Treatment

TKI Therapy

What can I expect from this treatment? TKI therapy – Common side effects*

- Hypertension
- Diarrhea
- Upset stomach (nausea or heartburn)
- Decreased appetite and weight loss
- Fatigue
- Skin irritation often in hands and feet (hand-foot syndrome)



Your doctor may also notice changes in your blood work. Blood work includes blood cell counts and blood tests for your liver, kidney, and thyroid gland.

^{*}Please consult the medication monograph sheet provided for complete list of side effects TKI, tyrosine kinase inhibitor



Cabozantinib

Treatment

TKI Therapy

What can I do to help my cancer care team help me?

Remember the ABC's of Cancer Treatment



Awareness

Know what side effects to look out for.



Be alert and monitor closely for symptoms

- **Keep track** of changes in symptoms.
- Early detection of side effects is important.



C Communication

- **Report** any changes to your cancer care team. Don't wait until your next appointment.
- If you go to the Emergency Department show your wallet card and/or letter from the Cancer Centre to the doctor in the Emergency Department
- After your visit to the Emergency Department make sure your cancer care team is aware of your visit to the Emergency Department



Cabozantinib

Treatment

TKI Therapy



What do I watch for? Side effects from TKI therapy.

Side effects can happen to any part of the body. Report any symptom you think could be a side effect. Some side effects that you should be **particularly aware of** include:



Hypertension

- High blood pressure is a frequent side effect. Regular monitoring is essential.
- Report any instances of hypertension to your cancer care team



Diarrhea and/or Bowel Changes

- Report any new diarrhea, cramping in the belly, and/or blood in the stool to your cancer care team
- Talk to your cancer care team before taking anti-diarrhea medications (ie. Imodium™)

(See page 10 in COMMUNICATIONS section for guidance if after hours)



Skin

- Skin-related side effects can include rash, itching and/or sores
- Report any redness, itching or peeling of the skin on the palms of hands or soles of feet
- Report any new itching or rash anywhere on the body to your cancer care team



Nausea, Decreased Appetite (Weight Loss), Taste Disturbances

 TKI therapy often causes nausea, decreased appetite, and weight loss

How are side effects treated?

- Side effects due to TKI therapy are always treated based on the individual patient. Report all side effects to your cancer care team.
- **DO NOT** manage side effects at home without speaking with your cancer care team.
- The **earlier** any side effect is recognized, the better it can be managed.
 - In some cases, your medications may need to be held.
- Minor symptoms (e.g., symptoms that are noticeable but do not affect daily activities) may be managed more easily with advice from your cancer
 care team.



Cabozantinib

Monitoring

Self-Care

What can I do at home to help manage my care?

- It is important for you to monitor certain things at home (see patient diary) and report any side effects to your cancer care team.
- **DO NOT** manage side effects at home without speaking with your cancer care team.
- However, there are some self-management tips you can do at home:
 - Monitor your blood pressure as per your cancer care team guidance (and note it in the diary)
 - Get adequate rest. Short (less than one hour) daytime naps may be needed.
 - Participate in exercise (if your doctor has authorized it)
 - Stay well hydrated
 - Use moisturizing cream on your skin
 - Protect yourself from the sun and use sunscreen
 - Fat a balanced diet
 - Clean your teeth after every meal and at bedtime using a soft-bristle toothbrush and a non-abrasive toothpaste
 - Be sure to inform other health care providers (family doctor, dentist, surgeon, etc) what treatment you have been prescribed
 - Be sure to inform your cancer care team of all medication changes

Summary



- You are a partner in your care with your cancer care team.
- You can help your cancer care team to care for you by monitoring for specific side effects and reporting to your cancer care team.



• With your help, side effects may be recognized early and managed more easily. Knowing the **onset** and **description** of the side effect is key to helping your cancer care team best optimize your care.



Cabozantinib

Monitoring

Cabozantinib Treatment Diary

IMPORTANT: Please record and report **even minor symptoms**. **All side effects must be reported** to your cancer care team.

You are being treated with cabozantinib.

Please use this treatment diary and please bring it to your next appointment

Cabozantinib: Take _____mg once per day at the same time. Do **NOT** take if you have eaten within the last two hours. Do not take a missed dose within 12 hours of your next dose. Swallow whole. Do not eat grapefruit or drink grapefruit juice.

For the duration of your treatment, please watch for the following side effects and take notes in the "comments" column of the table below:

Skin: rash, burning, itching, blistering and peeling (palms and soles)

Diarrhea or changes in bowel habits: new diarrhea, pain or cramping in belly, blood in the stool, fever with diarrhea

Hypertension: high blood pressure, trouble breathing

Other: change in urine colour, nausea, fatigue, headache, dizziness, loss of appetite, changes in taste, vision changes.

Also take note of **anything new** you are concerned about.



Cabozantinib Treatment Diary

PLEASE USE THIS TREATMENT DIARY TO RECORD YOUR INFORMATION FOR EACH CYCLE

IMPORTANT: Please record and report **even minor symptoms**. **All side effects must be reported** to your cancer care team.

Day	Date	Time of	Blood pressure (mmHg)		Comments			
		cabozantinib dose	Time	Reading				
Example	Sept 10	8am	7am	135/88	3 loose stools today, feeling a bit tired, noticed some dry skin on hands			
1								
2								
3								
4 5								
6								
7								
8								
9								
10								
11								
12								
13								
14 15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26 27								
28								
Date of my nex	t appointment is	:						
Date of my nex	t appointment f	or blood work is:						
Before my next appointment, I need to do:								
My questions fo	r my cancer car	re team are:						



Cabozantinib

Communication

Who do I contact?

Oncology clinic during regular hours (Monday-Friday)		
Medical oncologist is:		
Oncology Nurse is:		
Oncology Pharmacist is:		
Hours:	Phone no: ()

- 2. Go to the Emergency Department (after hours, weekend or holidays), especially if symptoms are new and more severe.
 - If you go to the Emergency Department, be sure to call the Cancer Clinic as soon as they are open.

Online Resources

- Kidney Cancer Canada https://www.kidneycancercanada.ca/
- Exercise guide for kidney cancer survivors Kidney Cancer Canada https://www.kidneycancercanada.ca/resources-for-patients-and-healthcare-professionals/resources-for-patients-and-caregivers/
- American Society of Clinical Oncologists. ASCO Answers: Kidney Cancer.
 Printable version available at: www.kidneycan.org/wp-content/uploads/2022/03/asco_answers_kidney-cancer.pdf
- CancerCare. Treatment Update: Kidney Cancer.
 Printable version available at: https://media.cancercare.org/publications/original/195-ccc_renal_cell.pdf
- National Cancer Institute. Renal Cell Cancer Treatment (PDQ®)—Patient Version.
 https://www.cancer.gov/types/kidney/patient/kidney-treatment-pdq

Notes	

